



Covid-19 (Coronavirus) Pandemic - Safe Operation - Trampoline Parks - V4.0

Powered By

Right Directions

Covid-19 (Coronavirus) Pandemic - Safe Operation - Trampoline Parks - V4.0

Location of Activity

Trampoline Park

Ref No.

OXY_12986

Assessors Name *

Dani Boncea

Date of Assessment

24-06-2022

Next Review Date

24-06-2023

QMS/Work Instructions

Please select a instruction or manually write it

Names of Employees Consulted

Duty Managers Operations Manager Cafe Assistants Cleaners
Court Monitor and Front of House Staff

Hazard Risk Rating

VERY LOW

Training/Qualifications Required to Complete this Activity

Level 2 Court Monitor

Personal Protective Equipment (PPE) Required to Complete this Activity

Disposable Gloves Face Masks non medical Face Mask

Potential Risk Rating

VERY LOW

Legislation, guidance and information used in support of this assessment

- Management of Health and Safety at Work Regulations 1999
- Regulatory Reform (Fire Safety) Order 2005 Workplace (Health, Safety & Welfare) Regulations, 1992
- Health & Safety At Work Act 1974
- Health Protection (Coronavirus, Restrictions) (Steps) (England) Regulations 2021

Other Risk Assessments Cross Referenced

Please select a assessment or manually write it

Potential Harm/Consequence		Likelihood That Harm Will Occur		The risk rating indicates the level of response required to be taken when adding actions to the improvement plan (RRP). Ratings between 15 and 25 require an urgent review of existing control measures.	Risk Rating	Suggested Guidance
1	Insignificant	1	Very Unlikely		Very Low Risk 1 - 2	No action required
2	Minor	2	Unlikely		Low Risk 3 - 6	Monitor
3	Moderate	3	Possible		Medium Risk 8- 12	Action required, if reasonably practicable
4	Major	4	Likely		High Risk 15 - 16	Urgent Action
5	Catastrophic	5	Very Likely		Critical Risk 20 - 25	Work Must Stop and take immediate action
If the Risk Rating is 15 or more and no further control measures are practicable, add the risk to the H&S Risk Register.						

Hazard	Who May be Harmed	Current Control Measure in Place	Risk Rating With Current Control Measures In Place	Sample of any Reviewed Control Measures	Additional Control Measures Required	Potential Risk Rating After Additional Control Measures Implemented
+ Category	Keeping up to date with official guidance					

+	Information Add Description/Detail of how harm is caused	Staff Contractors Customer - Adult Customer - Child	Reviewing best practice examples from within the industry Reviewing other sectors where applicable Regular review of IATP guidance Reviewing Government, PHE and NHS guidance and keeping up to date See www.gov.uk and www.nhs.uk websites	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
-	Information - Responsibilities Add Description/Detail of how harm is caused	Staff Contractors Customer - Adult Customer - Child	Dani Boncea sources and develops information to keep up-to-date records and feed this into the risk assessment	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
-	Information - Responsibilities Add Description/Detail of how harm is caused	Staff Contractors Customer - Adult Customer - Child	Staff consultation and communication channels developed to ensure all staff remain informed and up to date	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
-	Category		Activities - General						
+	Activities - General Add Description/Detail of how harm is caused	Staff Customer - Adult Customer - Child	Arrangements regarding re-opening are communicated to customers prior to opening so they know what activities are available and what to expect Communications regarding re-opening arrangements include the use of website, social media, email and text As far as possible, activities are booked and paid for in advance either online or over the telephone Management right of admission refused (ROAR) Parks and the facilities within them will re-open in accordance with government guidance Where government guidance is not clear in relation to individual facilities and activities, advice is sought from the local Environmental Health Officer and Right Directions	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1

- Category		Activities - Safety Briefing					▼		
+	Safety Briefing Add Description/Detail of how harm is caused	Staff Customer - Adult Customer - Child	Reception Staff and Bouncers ensure only customers that have completed briefing enter the park Bouncers responsible for the smooth co-ordination of customers when leaving the tunnel and entering the park Tunnel and Party holding area are included in the deep cleaning plan completed at the beginning and end of the day	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
-	Safety Briefing - virtual Add Description/Detail of how harm is caused	Staff Customer - Adult Customer - Child	Where briefings are conducted as part of the booking process, all customers are required to declare that they have seen the briefing	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
- Category		Trampoline Park - General					▼		
+	Trampoline Park Add Description/Detail of how harm is caused	Staff Customer - Adult Customer - Child	Music level(s) have been reduced to allow for staff/ customers to talk without shouting Strictly no running around the park Customers are requested no to shout/ scream as this will increase the risk of transmission Thorough deep clean of all areas takes place at the beginning/ end of each day, see deep cleaning schedule/ checksheets Protocols for exiting the park at the end of the session are managed by Court Monitors Suitable anti-viral cleaning agent used when deep cleaning and touchpoints cleaning all areas Deep cleaning and 'touchpoints' cleaning schedule/ plans and checksheets developed for all areas of the building/ park (see plans and checksheets) Water fountain available for customer use	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
-	Trampoline Park - Ventilation Spread of virus due to inadequate or poor fresh air/ air handling ventilation			1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1

		<input type="text" value="Staff"/> <input type="text" value="Contractors"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/>	<p>Where possible doors and windows will be propped open and floor/ wall fans introduced to aid in air circulation around the building/ park</p> <p>AHU's serviced and maintained in accordance with manufacturers recommendations</p> <p>The maximum occupancy of the park provides a minimum of 100sqft per person (based on useable space)</p> <p>Ventilation systems provide 100% fresh air and do not recirculate air from one space to another</p> <p>Dampers are fully opened and fans are run on full speed</p> <p>Ventilation systems operate 24 hours a day</p> <p>Filters are changed more frequently</p> <p>Spaces with no mechanical ventilation or ability to introduce fresh air are not used</p> <p>In ventilation rates are unknown, a carbon dioxide sensor is used to indicate rates</p> <p>Advice is sought from an HVAC engineer where ventilation rates are unknown</p>						
-	Trampoline Park - Capacities <input type="text" value="v"/> Add Description/Detail of how harm is caused	<input type="text" value="Staff"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/>		1 x 1	1	Add Sample Measure <input type="button" value="View Files"/> <input type="button" value="View Links"/>	Please select additional control measure or manual	1 x 1	1

The building and trampoline park maximum occupancy levels have been reviewed and updated to allow for comfortable social distancing to take place in line with current government guidance

Booking systems have been reviewed and amended to allow for new maximum occupancy levels in the building and on the park

Clearly visible signage has been displayed informing staff/ customers of any reduced occupancy levels

Maximum occupancy levels are continually monitored by staff/ Court Monitors and any issues reported to the Duty Manager

Where removal of equipment is not possible, such equipment has been isolated/ cordoned off to prevent access

Hourly sessions have been scheduled along with an adequate break/ gap between sessions to allow for 'touchpoints' cleaning to take place (see 'touchpoints' cleaning plans and check sheets)

Maximum occupancy levels provide a minimum of 100sqft per person (for ventilation purposes) and are calculated to ensure current social distancing guidance can be achieved. The maximum is the lower of the two calculations.

Maximum occupancy levels are documented for the park as a whole and for each area

Occupancies in soft play areas are reduced to a maximum of 40%

-		Category	Trampoline Park - Softplay/ Novelty Activity Area		v			
+	Softplay/ Novelty Activity Area v	Staff	1 x 1	1	Add Sample Measure	Please select additional control measure or manual	1 x 1	1
	Add Description/Detail of how harm is caused	Customer - Adult			View Files			
		Customer - Child			View Links			

- Deep cleaning of the soft play area is completed and the beginning/ end of each day
- BALPPA guidance signposted by the government must be followed
- Cleaning regimes are reviewed before re-opening and regimes are documented, trialled and practiced
- High contact surfaces are identified
- Particular attention is paid to areas such as slides, monkey bars, enclosed crawl through tunnels or tube slides and handholds
- Certain chemicals are not used when children are around
- The process for managing soft play frame areas is documented and staff are trained
- Calculation methods and capacity numbers are justified and can be evidenced
- Confined spaces and areas where users congregate are closed
- Directional arrows and signage are used to encourage one way systems
- Once soft play / indoor play areas are permitted to re-open, the above control measures will be in place
- Maximum capacity for Soft Play area is 116 (Baby soft play -10 / Toddler soft play - 40 / Junior soft play - 66)

- Category Trampoline park

+	Trampolines	<input type="text" value="Staff"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/>	<input type="text" value="Deep cleaning takes place at the end/ beginning of the day"/> <input type="text" value="Trained bouncers supervise the areas at all times and ensure rules are followed"/> <input type="text" value="Close supervision of numbers and jumpers per area/trampolines are closely monitored and adhered to"/>	1 x 1	1	<input type="text" value="Add Sample Measure"/> <input type="button" value="View Files"/> <input type="button" value="View Links"/>	<input type="text" value="Please select additional control measure or manual"/>	1 x 1	1
	<input type="text" value="Add Description/Detail of how harm is caused"/>								

- Category Trampoline park - Inflatable structures

+	Inflatable Structures	<input type="text" value="Staff"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/>		1 x 1	1	<input type="text" value="Add Sample Measure"/> <input type="button" value="View Files"/> <input type="button" value="View Links"/>	<input type="text" value="Please select additional control measure or manual"/>	1 x 1	1
	<input type="text" value="Add Description/Detail of how harm is caused"/>								

			<p>Inflatable structures will need to be closed unless adequate cleaning regimes can be introduced to ensure that all inflatable surfaces can be cleaned</p> <p>Inflatable structures are fully supervised by Court Monitors and control measures enforced and monitored</p> <p>Deep cleaning takes place at the beginning/end of each day</p> <p>Cleaning takes place between each session</p> <p>Inflatable has a maximum capacity of 16</p> <p>Trained bouncers ensure the capacity levels and inflatable rules are followed at all times</p>						
-	Category	Trampoline Park - Foam Pits							
+	Foam Pits Add Description/Detail of how harm is caused	Staff Customer - Adult Customer - Child	<p>If a method for cleaning the foam between users can be established, this is documented and the following control measures will also apply</p> <p>Foam pits are supervised by Court Monitors at all times and control measures are enforced and monitored</p> <p>Foam matts installed covering all area</p> <p>Old foam removed and disposed of</p>	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
-	Category	Trampoline Park - Obstacle Course							
+	Obstacle Course Add Description/Detail of how harm is caused	Customer - Adult Staff Customer - Child	<p>Area supervised by bouncers at all times to ensure all rules are followed</p> <p>Clear signage and entrance and exit displayed at the Ninja Warrior Obstacle Course</p> <p>Maximum capacity is 18</p>	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
-	Category	Trampoline Park - Battle Beams/ Tightrope and Other Such Equipment							
+	Battle Beams/ Tightrope etc. Add Description/Detail of how harm is caused	Staff Customer - Adult Customer - Child		1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1

			<p>Only 2 persons from the same family/ group are allowed to use the battle beam(s) at the same time</p> <p>Only 1 person at a time on the tightrope</p> <p>Deep cleaning of battle beams/ tightrope and other such equipment takes place at the beginning/ end of each day</p> <p>Court Monitors responsible for checking/ topping up hand sanitiser stations as part of the 'touchpoints' cleaning plan</p>						
-	Category	Trampoline park - Clip n Climb							
+	Clip n climb Add Description/Detail of how harm is caused	Staff Customer - Adult Customer - Child	Area supervised by trained bouncers at all times Deep cleaning scheduled in place at the beginning and end of the day Daily/weekly/monthly checks in place and completed by trained court monitors Maximum capacity of 10	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
-	Category	Food and Beverage							
+	Food and Beverage Add Description/Detail of how harm is caused	Staff Customer - Adult Customer - Child	Tables and chairs are position as per cafe plan Queueing system in place and visible for customers to see Order at the counter available Payments with cash or card are available Deep cleaning scheduled in place and completed at the beginning and end of the day Tables and chairs cleaned regularly and sanitised	1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1
-	Category	Trampoline Park - Basketball							
+	Basketball/ Slam Dunk Possible transmission of Covid-19 due to not following social distancing guidelines Spread of virus due to	Staff Customer - Adult Customer - Child		1 x 1	1	Add Sample Measure View Files View Links	Please select additional control measure or manual	1 x 1	1

Maximum occupancy in the basketball area is one per lane at anyone time

Basketballs are issued by the Court Monitor and returned for cleaning during change in users from different families/ groups

Basketballs are cleaned using anti-viral cleaning agent

Hand sanitiser station provided on entry to the basketball lane

The basketball areas are included in the deep cleaning schedule and completed at the beginning/ end of each day

'Touchpoints' cleaning includes all basketball areas and is completed between sessions

The Court Monitors are responsible for checking/ topping up the hand sanitiser stations as part of the 'touchpoints' cleaning plan

- Category Trampoline Park - Dodgeball

<p>+ Dodgeball</p> <p>Possible transmission of Covid-19 due to not following social distancing guidelines Spread of virus due to</p>	<p>Staff</p> <p>Customer - Adult</p> <p>Customer - Child</p>	<p>Dodgeballs have been removed to reduce the risk of transmission</p> <p>Hand sanitiser station provided on entry to the dodgeball court and users requested to sanitise hands on entry</p> <p>The dodgeball court is included in the deep and 'touchpoints' cleaning plan</p> <p>Deep cleaning takes place at the beginning/ end of each day</p> <p>'Touchpoints' cleaning takes place in between each session</p> <p>Court Monitors are responsible for checking/ topping up hand sanitiser as part of the 'touchpoints' cleaning plan</p> <p>The maximum occupancy for the dodgeball court is <insert here> to ensure social distancing</p>	<p>1 x 1 1</p> <p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p> <p>1 x 1 1</p>
---	--	---	--	--

- Category Trampoline park - Slide

<p>+ Slide</p> <p>Add Description/Detail of how harm is caused</p>	<p>Staff</p> <p>Customer - Adult</p> <p>Customer - Child</p>		<p>1 x 1 1</p> <p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p> <p>1 x 1 1</p>
---	--	--	--	--

			<p>Area supervised at all times by trained bouncers</p> <p>Area closed during toddler sessions and open during regular freejumping sessions</p> <p>Deep cleaning schedule in place at the beginning and end of the day</p> <p>Maximum capacity of 1</p>						
-	Category	Trampoline park - Reaction Wall							
+	<p>Reaction Wall</p> <p>Add Description/Detail of how harm is caused</p>	<p>Staff</p> <p>Customer - Adult</p> <p>Customer - Child</p>	<p>Area supervised at all times by trained bouncers which ensure that fules and capacity levels are followed</p> <p>Maximum capacity of 2 (one per each reaction wall)</p> <p>Deep cleaning schedule in place and completed at the begining and end of the day</p>	1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>	1 x 1	1
-	Category	Toilets and baby change							
+	<p>Toilets and baby change</p> <p>Add Description/Detail of how harm is caused</p>	<p>Staff</p> <p>Customer - Adult</p> <p>Customer - Child</p>	<p>Hand washing facilities available for customers to use</p> <p>Sanitiser and hand washing liquid available</p> <p>Hand dryer facilities available</p> <p>Deep cleaning scheduled in place at the beginning and end of the day</p> <p>Area checked regularly by cleaning to ensure high cleaning standards are followed</p>	1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>	1 x 1	1

Revision History			
Reviewed By	Name	Comment	Date
actonmanager@stitch.com	Dani Boncea	Review date June 2023	24-06-2022 11:04:16

Showing 1 to 1 of 1 entries

Previous 1 Next

