



Trampoline Park (Inc Safety Briefing, Inexperienced & Novice Jumpers)

Powered By

Right Directions

Trampoline Park (Inc Safety Briefing, Inexperienced & Novice Jumpers)

Location of Activity

All areas

Ref No.

OXY_8875

Assessors Name *

Amy Corps

Date of Assessment

25-05-2022

Next Review Date

25-05-2023

QMS/Work Instructions

Please select a instruction or manually write it

Names of Employees Consulted

Duty Managers Supervisors Court monitors Reception team

Hazard Risk Rating

LOW

Training/Qualifications Required to Complete this Activity

Start safe Jump safe

Personal Protective Equipment (PPE) Required to Complete this Activity

Please select a equipment or manually write it

Potential Risk Rating

VERY LOW

Legislation, guidance and information used in support of this assessment

Other Risk Assessments Cross Referenced

Noise Trampoline Park Activity Specific Safeguarding Noise

Potential Harm/Consequence		Likelihood That Harm Will Occur		The risk rating indicates the level of response required to be taken when adding actions to the improvement plan (RRP). Ratings between 15 and 25 require an urgent review of existing control measures.	Risk Rating		Suggested Guidance	
1	Insignificant	1	Very Unlikely		Very Low Risk 1 - 2	No action required		
2	Minor	2	Unlikely		Low Risk 3 - 6	Monitor		
3	Moderate	3	Possible		Medium Risk 8- 12	Action required, if reasonably practicable		
4	Major	4	Likely		High Risk 15 - 16	Urgent Action		
5	Catastrophic	5	Very Likely		Critical Risk 20 - 25	Work Must Stop and take immediate action		
If the Risk Rating is 15 or more and no further control measures are practicable, add the risk to the H&S Risk Register.								

Hazard	Who May be Harmed	Current Control Measure in Place	Risk Rating With Current Control Measures In Place	Sample of any Reviewed Control Measures	Additional Control Measures Required	Potential Risk Rating After Additional Control Measures Implemented
+ Category	Trampoline Organisation					
+			3 x 1 3			1 x 1 1

	<p>Access</p> <p>Unauthorised or unsupervised access to the trampoline area</p>	<p>Staff</p> <p>Customer - Adult</p> <p>Customer - Child</p>	<p>CCTV in Place Locked when not in use</p> <p>See Trampoline Operating Procedure for safe operating procedure for going under the trampoline</p> <p>No-one is to go underneath the trampoline</p> <p>Access to this area is restricted and locked off</p>			<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	Please select additional control measure or manual			
-	<p>First Aid Incidents</p> <p>Add Description/Detail of how harm is caused</p>	<p>Staff</p> <p>Customer - Adult</p> <p>Customer - Child</p>	<p>Refer to First Aid procedure, Accident & Incident Reporting procedure</p> <p>Staff have current first aid training and certification and appropriate first aid supplies are available</p> <p>First aid kits are regularly checked for contents</p> <p>Safety equipment will be available for emergencies including rescue boards</p> <p>Staff are trained on emergency procedures</p>	3 x 1	3	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	Please select additional control measure or manual	1 x 1	1	
-	<p>Management of emergency</p> <p>Add Description/Detail of how harm is caused</p>	<p>Staff</p>	<p>CCTV in place</p> <p>Refer to First Aid procedure, Accident & Incident Reporting procedure</p> <p>Staff have current first aid training and certification and appropriate first aid supplies are available</p> <p>First aid kits are regularly checked for contents</p> <p>Ensure all necessary paperwork is in place, including GEEPS in place if required</p> <p>Staff are trained on emergency procedures</p>	2 x 1	2	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	Please select additional control measure or manual	1 x 1	1	
-	Category	Physical Environment								
+	<p>Slips, Trips & Falls</p> <p>Debris/ spillages left on the floor Uneven surfaces</p>	<p>Staff</p> <p>Contractors</p> <p>Customer - Adult</p> <p>Customer - Child</p> <p>Visitor</p>		3 x 2	6	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	Please select additional control measure or manual	1 x 1	1	

			<p>Trampoline Hall floor cleaned daily according to cleaning schedule</p> <p>Area checked regularly by staff throughout the day</p> <p>Only water to be taken into the trampoline area must be in a sealed container – no cups permitted and not taken onto the trampolines</p> <p>All spillages cleaned up immediately</p> <p>Customers taking part must wear the approved trampoline socks provided</p> <p>Capacity is 185 jumpers when covid restrictions do not apply</p> <p>covid capacity 140</p>						
-	<p>Height of Trampoline Hall</p> <p>Height of the Trampoline Hall causing head injuries</p>	<p>Staff</p> <p>Customer - Adult</p> <p>Customer - Child</p>	<p>Minimum of 5.5m is recommended for recreational use in British gymnastics guidelines, PASS5000 and ASTM F2970 guidance</p> <p>Positioned away from fire exits or walls (unless suitably padded)</p> <p>Safety netting provided around the sites of the trampoline areas Positioned away from overhead or protruding structures</p> <p>The Trampolines are manufactured and installed in compliance with PASS500 and ASTM standards</p> <p>Inspections take place in line with HSG175 recommendations by ADIPS approved inspector</p>	1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>	1 x 1	1
-	<p>Position of trampolines</p> <p>Position of trampolines and other sports equipment causing impact injuries</p>	<p>Staff</p> <p>Customer - Adult</p> <p>Customer - Child</p>		1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>	1 x 1	1

			<p>Trampoline Hall floor cleaned daily according to cleaning schedule</p> <p>Area checked regularly by staff throughout the day</p> <p>See First Aid procedure First Aid staff available at all time during opening hours</p> <p>First Aid supplies available</p> <p>See Accident & Incident Reporting procedure</p> <p>All accidents are reported on Accident Report Forms</p> <p>Positioned away from fire exits or walls (unless suitably padded)</p> <p>Any obstacles or walls within 1.5m of the trampolines are suitably padded.</p> <p>Safety netting provided around the sites of the trampoline areas and on the walk the wall</p> <p>Positioned away from overhead or protruding structures</p> <p>Barrier in place in areas where there is a possibility of a fall from height</p>						
-	<p>Poor Lighting</p> <p>Add Description/Detail of how harm is caused</p>	<p>Staff</p> <p>Contractors</p> <p>Customer - Adult</p> <p>Customer - Child</p> <p>Visitor</p>	<p>Lighting is bright and even</p> <p>Position of trampolines avoids glare and dazzle from sunlight</p> <p>The area is supervised by Court Monitors at all times when in use</p> <p>Lighting levels are maintained at least at emergency lighting levels</p>	1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>	1 x 1	1
-	<p>Noise Levels</p> <p>Add Description/Detail of how harm is caused</p>	<p>Staff</p> <p>Contractors</p> <p>Customer - Adult</p> <p>Customer - Child</p> <p>Visitor</p>	<p>Noise levels should be low enough for customers to hear all instructions</p> <p>See Noise Risk Assessment</p>	1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>	1 x 1	1
-	<p>Trampoline Equipment</p> <p>General Wear and Tear Damage</p>	<p>Staff</p> <p>Customer - Adult</p> <p>Customer - Child</p>		1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>	1 x 1	1

			<p>The equipment has been manufactured and installed in compliance with PASS500 and ASTM standards</p> <p>Inspections take place in line with HSG175 recommendations by ADIPS approved inspector</p> <p>The trampolines are visually inspected daily prior to opening by competent staff and recorded on the daily inspection sheets. These inspections include ensuring the padding is in place, in good condition, to prevent access to the springs.</p> <p>Weekly and monthly recorded inspections are carried out in accordance with the operating procedures for maintenance. These are carried out whilst the park is closed to customers.</p> <p>See First Aid procedure - First Aid staff available at all time during opening hours, First Aid supplies available</p> <p>See Accident & Incident Reporting procedure - All accidents are reported on Accident Report Forms</p>						
-	<p>Collision</p> <p>Falling and making contact with the equipment</p>	<p>Staff</p> <p>Customer - Adult</p> <p>Customer - Child</p>	<p>Customers taking part must wear the approved trampoline socks provided</p> <p>See First Aid procedure - First Aid staff available at all time during opening hours, First Aid supplies available</p> <p>See Accident & Incident Reporting procedure - All accidents are reported on Accident Report Forms</p> <p>Positioned away from fire exits or walls (unless suitably padded)</p> <p>Safety netting provided around the sites of the trampoline areas and on the walk the wall</p> <p>Positioned away from overhead or protruding structures</p> <p>Barrier in place in areas where there is a possibility of a fall from height</p> <p>The equipment has been manufactured and installed in compliance with PASS500 and ASTM standards</p> <p>Inspections take place in line with HSG175 recommendations by ADIPS approved inspector</p> <p>The trampolines are visually inspected daily prior to opening by competent staff and recorded on the daily inspection sheets. These inspections include ensuring the padding is in place to prevent access to the springs.</p>	1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>	1 x 1	1

- All flooring within 1.5m of the Trampolines is suitably padded
- Any obstacles or walls within 1.5m of the trampolines is suitable padded
- Weekly and monthly recorded inspections are carried out in accordance with the operating procedures for maintenance These are carried out whilst the park is closed to customers
- There is 6 inches of foam beneath pit as protection should the airbag fail
- The base of the foam pit is covered with 200mm of impact padding
- Trampoline equipment is cleaned and maintained daily
- All staff and customers to remove jewellery and anything sharp such as buckles, pens, badges etc
- CCTV installed throughout the trampoline park
- Rules are displayed next to each activity area and staff are trained on them
- The area is supervised by Court Monitors at all times when in use
- Rules of use are detailed within the operating procedures

- Category Personal Injury v

+	Inexperience of beginners, w v Add Description/Detail of how harm is caused	<input type="text" value="Staff"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/>	1 x 1	1	Add Sample Measure <input type="button" value="View Files"/> <input type="button" value="View Links"/>	Please select additional control measure or manual	1 x 1	1
----------	---	--	-------	---	--	--	-------	---

			<p>Safety briefing area in place and Calm Zone</p> <p>The Court Monitor identifies those who are not experienced before the session starts and asks questions to ensure understanding of briefing</p> <p>Suitable sports clothing to be worn, which includes suitable anti-slip socks</p> <p>Jewellery or sharp objects are not to be worn when on the trampolines</p> <p>Trained Court Monitors have specific positions around the park to ensure all areas can be seen at all times</p> <p>Admissions policy is in place to ensure that only children over 5 are allowed on the park without a parent/ guardian</p> <p>Only children over 12 years old are allowed within the facility without a parent/ guardian</p> <p>See First Aid procedure - First aid staff available at all time during opening hours, First aid supplies available</p> <p>See Accident & Incident Reporting procedure, all accidents are reported on Accident Report Forms</p>						
-	<p>Falls from the Trampoline Area</p> <p>Add Description/Detail of how harm is caused</p>	<p>Staff</p> <p>Customer - Adult</p> <p>Customer - Child</p>	<p>Suitable sports clothing to be worn, which includes suitable anti-slip socks</p> <p>Jewellery or sharp objects are not to be worn when on the trampolines</p> <p>Trained Court Monitors have specific positions around the park to ensure all areas can be seen at all times.</p> <p>Trained & experienced member of staff supervising the areas</p> <p>Containment netting is provided around the arena this is checked as a part of the trampolines PPM</p> <p>Padding over all the springs and checked daily</p> <p>Areas within 1.5m of the trampolines are padded</p> <p>See First Aid procedure - First aid staff available at all time during opening hours, First aid supplies available</p> <p>See Accident & Incident Reporting procedure - all accidents are reported on Accident Report Forms</p>	1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>	1 x 1	1
-	<p>Collisions</p>			1 x 1	1		<p>Please select additional control measure or manual</p>	1 x 1	1

	<p>(Fractures, sprains, strains, cuts, brushing, head, neck and spinal injuries) Injuries caused by coming into</p>	<p>Staff</p> <p>Customer - Adult</p> <p>Customer - Child</p>	<p>Customers are required to sign a waiver form, which provides safety rules and they must disclose any known health conditions and pre-existing injuries</p> <p>Rules of play are clearly displayed in reception before proceeding to the briefing presented by a Court Monitor</p> <p>Ratios of Court Monitors to customers are in accordance to standards and are defined in the operating procedures These vary depending on the activity and numbers participating</p> <p>Customer are supervised at all-time by fully trained Court Monitors. Any incorrect behaviour/ jumping will be stopped immediately, the customer will be reminded of the rules, if they fail to follow the safety rules they will be asked to leave</p> <p>Certain areas such as walk the Wall are only to be accessed by competent jumpers</p> <p>General rules are displayed in the safety briefing area, specific rules for each activity are displayed in each activity area</p> <p>Calm zone area utilised after safety briefing and before jumpers enter the jump arena</p> <p>Court Monitors ask children to calm down and not to run to the trampolines</p> <p>Programming reviews consider conflicts of activities</p> <p>Safety briefing take place before customers use the park, all customers are asked if they understand the briefing</p> <p>Close supervision by Court Monitors</p> <p>Signage around the park informing the rules</p> <p>See First Aid procedure - First aid staff available at all time during opening hours, First aid supplies available</p> <p>See Accident & Incident Reporting procedure - all accidents are reported on Accident Report Forms</p> <p>maximum weight 21stone</p>		<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>		
-	<p>Poor knowledge of rules</p> <p>Add Description/Detail of how harm is caused</p>	<p>Staff</p> <p>Customer - Adult</p> <p>Customer - Child</p>		1 x 1 1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	Please select additional control measure or manual	1 x 1 1

			<p>Customers are required to sign a waiver form, which provides safety rules and they must disclose any known health conditions and pre-existing injuries</p> <p>Customer are supervised at all-time by fully trained Court Monitors. Any incorrect behaviour/ jumping will be stopped immediately, the customer will be reminded of the rules, if they fail to follow the safety rules they will be asked to leave</p> <p>Certain areas such as walk the Wall are only to be accessed by competent jumpers</p> <p>General rules are displayed in the safety briefing area, specific rules for each activity are displayed in each activity area</p> <p>Court Monitors ask children to calm down and not to run to the trampolines</p> <p>Safety briefing take place before customers use the park, all customers are asked if they understood the briefing before proceeding to the park</p> <p>Signage around the park informing the rules</p> <p>See Airbag & Airbag Pit Risk Assessment</p> <p>See Foam Pit Risk Assessments</p> <p>Parental supervision at all times of all under 12 years old within the facility. Under 5 year olds must have a parent with them on the park</p>						
-	<p>Airbag</p> <p>Air loss during operation of airbag Entrapment in the foam and airbag</p>	<p>Staff</p> <p>Customer - Adult</p> <p>Customer - Child</p>	<p>Customer are supervised at all-time by fully trained Court Monitors</p> <p>Emergency procedures are in place within the EAP, Airbag and foam pit procedures</p> <p>See Airbag & Airbag Pit Risk Assessment</p> <p>See Foam Pit Risk Assessments</p> <p>Electric blower is located under the trampoline area in a secure location and is PAT tested yearly</p> <p>See First Aid procedure - First aid staff available at all time during opening hours, First aid supplies available</p> <p>See Accident & Incident Reporting procedure - all accidents are reported on Accident Report Forms</p> <p>maximum weight is 21 stone</p>	1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>	1 x 1	1
-	<p>Electric blower</p>			1 x 1	1	<p>Add Sample Measure</p>	<p>Please select additional control measure or manual</p>	1 x 1	1

Add Description/Detail of how harm is caused	<input type="text" value="Staff"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/>	<input type="text" value="Electric blower is located under the trampoline area in a secure location and is PAT tested yearly"/> <input type="text" value="Blower to be checked pre-use & recorded"/> <input type="text" value="All sockets are RCD protected"/> <input type="text" value="See Airbag & Airbag Pit Risk Assessment"/> <input type="text" value="Parental supervision at all times of all under 12 years old within the facility"/> <input type="text" value="See First Aid procedure - First aid staff available at all time during opening hours, First aid supplies available"/> <input type="text" value="See Accident & Incident Reporting procedure - all accidents are reported on Accident Report Forms"/>	<input type="button" value="View Files"/> <input type="button" value="View Links"/>				
<input type="button" value="-"/> Category		Child Protection <input type="button" value="v"/>					
<input type="button" value="+"/>	<input type="text" value="Risk of personal injury, assau"/> Add Description/Detail of how harm is caused	<input type="text" value="Customer - Child"/>	<input type="text" value="Admissions procedures"/> <input type="text" value="Safeguarding policy in place"/> <input type="text" value="Staff receive safeguarding training"/> <input type="text" value="Staff are trained not to use physical force to restrain children unless there is a risk of the child suffering personal injury"/> <input type="text" value="Management are DBS checked"/>	1 x 1 1	<input type="text" value="Add Sample Measure"/> <input type="button" value="View Files"/> <input type="button" value="View Links"/>	<input type="text" value="Please select additional control measure or manual"/>	1 x 1 1
<input type="button" value="-"/> Category		Admission Control <input type="button" value="v"/>					
<input type="button" value="+"/>	<input type="text" value="Access"/> Security & Admission Arrangements Risk of injury due to over crowding	<input type="text" value="Staff"/> <input type="text" value="Customer - Adult"/> <input type="text" value="Customer - Child"/>		1 x 1 1	<input type="text" value="Add Sample Measure"/> <input type="button" value="View Files"/> <input type="button" value="View Links"/>	<input type="text" value="Please select additional control measure or manual"/>	1 x 1 1

Authorised personnel only allowed to enter the facility

Parents remain on site for children under 12 years

Customers using the Trampoline Park should receive a band when registering/ paying at reception. This should be worn for the duration of the time they are in the park. At the end of each 1 hour/session the Court Monitor should stand at the exit and collect all the bands. To ensure that there is no confusion with band colours, a different colour band should be used for each session with the colours rotating every 5 hours. There should be a total of 5 different coloured bands.

Staff trained on the capacity levels for the entire park and each area

Admission policy stating no alcohol or drugs to be consumed before using the park

Signage in place informing customers not to use the trampolines if under the influence of drink or drugs

There are three contact points (reception, safety briefing room and Court Monitors) where staff can recognise if someone is under the influence of alcohol

There is a banding system in place to control who uses the park

- Category		Health Arrangements						
+	Health Arrangements	Staff	1 x 1	1	Add Sample Measure	Please select additional control measure or manual	1 x 1	1
	Poor hygiene & housekeeping result in ill health, sickness and diarrhea	Customer - Adult			View Files		View Links	
		Customer - Child						

			<p>Daily cleaning program in place</p> <p>Equipment maintained to manufactures standards</p> <p>Area closed in an emergency due to sickness etc</p> <p>Actions to be taken in relation to dealing with bodily fluid, diarrhea and sickness are detailed within the EAP</p> <p>Staff are trained on the EAP</p> <p>Customer policy in place</p> <p>PPE is provided for staff undertaking first aid</p> <p>Medical contra-indications Forces and actions that could aggravate physical conditions excessive participant weight (which would increase the forces on the participant's body, would could lead to an increased risk of bone and joint damage and would be an indicator of general lack of fitness and appropriateness of the activity for the participant) Circulatory conditions heart or lung conditions recent surgery back or neck conditions high blood pressure spine, musculoskeletal or head injury pregnancy - Customers must obtain documented approval from their GP to state they are fit to jump</p>						
-	Category	Overcrowding							
+	Personal Injury	<p>Customer - Adult</p> <p>Customer - Child</p>	<p>All staff are trained on the numbers within in each area of the park.</p> <p>The capacity in each area of the park has been calculated following the guidance within the PAS 5000:2017. Min space 6.8m2 per person. This is detailed within the trampoline procedures</p> <p>Admissions procedures</p> <p>Band system and booking process is in place to prevent overcrowding</p> <p>Participants capacity 160 people.</p> <p>One jumper per trampoline</p>	1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p> <p>View Links</p>	<p>Please select additional control measure or manual</p>	1 x 1	1
-	Category	Inappropriate Court Monitor positioning							
+	Personal Injury	<p>Customer - Adult</p> <p>Customer - Child</p>		1 x 1	1	<p>Add Sample Measure</p> <p>View Files</p>	<p>Please select additional control measure or manual</p>	1 x 1	1

		<p>All staff are trained on the emergency actions plan on site</p> <p>All staff are trained on the trampoline procedures for all relevant activities within the park</p> <p>The court monitor positions and rotations are detailed within the trampoline procedures</p> <p>The court monitor positions have been considered following the completion of a visibility test</p> <p>Staff can scan the whole zone within 10 seconds and respond to all emergencies within 20 seconds</p>		View Links	
--	--	---	--	----------------------------	--

Revision History			
Reviewed By	Name	Comment	Date
croydonmanager@stitch.com	Jess Dale	Will review yearly unless any areas in the park change or covid restrictions change	28-06-2021 13:42:36
croydonmanager@stitch.com	Amy Corps	All checked	13-01-2022 13:55:26
croydonmanager@stitch.com	Amy Corps	Checked	25-05-2022 15:36:24
croydonmanager@stitch.com	Amy Corps	checked	25-05-2022 16:07:26

Showing 1 to 4 of 4 entries

Previous 1 Next